



HANGCHA GROUP CO., LTD.

Factory site: 666 Xiangfu Road,
Hangzhou, Zhejiang, China (311305)

Tel: +86-571-88926735 88926755
Fax: +86-571-88926789 88132890

sales@hcforklift.com www.hcforklift.com

HANGCHA GROUP CO., LTD. reserves the right to make any changes without notice concerning colors, equipment, or specifications detailed in this brochure, or to discontinue individual models. The colors of trucks, delivered may differ slightly from those in brochures.



Follow us on
Facebook



Follow us on
YouTube



Follow us on
WeChat



Download "Hangcha
Forklift" App



ISO45001:2018



ISO14001:2015



ISO9001:2015



HANGCHA trucks conform
to the European Safety
Requirements.

X SERIES

DIESEL TELEHANDLER

With capacity of 4,000kg

X SERIES

DIESEL TELEHANDLER

HANGCHA Family-Design exterior, ergonomic cab, intuitive HMI system and premium driving comfort experience.



With efficient operation performance, the maximum speed is 35 km/h, the maximum climbing ability is 40%, and the lifting height is industry-leading in the same category.

 **35 km/h** |  **40%**
Drive speed (no load) | Gradeability



HIGH-PERFORMANCE MACHINES IN ANY SITUATION

THREE STEERING MODES:



TWO DRIVING MODES:

2WD
TWO-WHEEL DRIVE

4WD
FOUR-WHEEL DRIVE



The machine is equipped with quick change device, which can realize the quick replacement of different attachments. This enables various operations including fork loading, shovel loading, clamping, aerial work, etc.

Key components are sourced from internationally renowned brands. Structural components are rigorously verified through both CAE analysis and actual measurements, ensuring high reliability.

COMFORT

01

Adjustable suspension seat can provide more ergonomic.

02

Full-proportional joystick, smooth and coordinated movements, smooth and steady on start and stop, boom luffing and telescoping support multi-movements.

03

7 inch display, real-time machine status monitoring, integrated intelligent fault diagnosis system.

04

The cab can be equipped with air conditioning, radio, and USB charging port as option.

MAINTENANCE

- A maintenance arm is provided on the vehicle to prevent the boom from accidentally falling during maintenance.
- Wide-angle tilting cover ensures easy maintenance access.

SAFETY

- The lighting system is excellent. Besides the High and low beam headlights, LED high-brightness working lights are also provided in the cab front and rear and the boom respectively, ensuring operation in night scenarios.
- Equipped with overload monitoring system, it can conduct real-time dynamic monitoring to prevent overturning and overloading, and timely restrict actions to avoid accidents.



Features

Truck	Standard	Options
Air conditioner		<input type="radio"/>
Quick exchange fork carriage	<input checked="" type="radio"/>	
Adjustable suspension seat	<input checked="" type="radio"/>	
Flame retardant leather seats	<input checked="" type="radio"/>	
Traction device	<input checked="" type="radio"/>	
Load moment limiter Overload monitoring devise	<input checked="" type="radio"/>	
Left operable window	<input checked="" type="radio"/>	
Horn	<input checked="" type="radio"/>	
Key switch	<input checked="" type="radio"/>	
Wide angle L/R rearview mirrors	<input checked="" type="radio"/>	
Panoramic reversing mirror	<input checked="" type="radio"/>	
Front wiper with water spray function	<input checked="" type="radio"/>	
Rear window wiper	<input checked="" type="radio"/>	
High and low beam headlights	<input checked="" type="radio"/>	
Front and rear work lights	<input checked="" type="radio"/>	
Working light	<input checked="" type="radio"/>	
Reverse light	<input checked="" type="radio"/>	
Windshield protective frame		<input type="radio"/>
Fire Extinguisher		<input type="radio"/>
Foam filled tire		<input type="radio"/>
Quick change heavy Duty Multi-Purpose Bucket		<input type="radio"/>
Quick change crane arm		<input type="radio"/>
Forklift arm		<input type="radio"/>
400/75-28 Penumatic tire	<input checked="" type="radio"/>	
Fordward 4 gears/Reverse 3 gears	<input checked="" type="radio"/>	
Dual axis stabilizer	<input checked="" type="radio"/>	
Horizontal leveling system of the chassis	<input checked="" type="radio"/>	
Action buzzer	<input checked="" type="radio"/>	
Fuel filter	<input checked="" type="radio"/>	
Load backrest	<input checked="" type="radio"/>	
Quick change soft bag clip		<input type="radio"/>
Boom angle indicator		<input type="radio"/>
Steering		
Three steering modes	<input checked="" type="radio"/>	
Adjustable steering column	<input checked="" type="radio"/>	
Hydraulic		
Hydraulic quick coupler	<input checked="" type="radio"/>	
Tilt cylinder self-locking valve	<input checked="" type="radio"/>	
Self locking valve for telescopic oil cylinder	<input checked="" type="radio"/>	
Lifting cylinder self-locking valve	<input checked="" type="radio"/>	
Lifting cylinder maintenance arm	<input checked="" type="radio"/>	
Hydraulic Oil Filter	<input checked="" type="radio"/>	
Hydraulic oil air filter	<input checked="" type="radio"/>	
Hydraulic oil dipstick	<input checked="" type="radio"/>	
High efficient and adjustable flow hydraulic pump	<input checked="" type="radio"/>	
Power		
2WD and 4WD switch function	<input checked="" type="radio"/>	
Transmission		
Wet brake	<input checked="" type="radio"/>	
Limited slip differential	<input checked="" type="radio"/>	
Hydraulic power steering	<input checked="" type="radio"/>	
Control		
Dual axis proportional control handle	<input checked="" type="radio"/>	
Emergency stop switch	<input checked="" type="radio"/>	
Parking brake	<input checked="" type="radio"/>	
Electronics		
Fault self diagnosis function	<input checked="" type="radio"/>	
7-inch color multifunctional display screen	<input checked="" type="radio"/>	
Warning lamp for not fastening the seat belt	<input checked="" type="radio"/>	
Heater	<input checked="" type="radio"/>	
Reading light	<input checked="" type="radio"/>	
Radio	<input checked="" type="radio"/>	
Safety		
Warning light	<input checked="" type="radio"/>	
Reverse alarm	<input checked="" type="radio"/>	
Reverse camera		<input type="radio"/>
Reverse radar		<input type="radio"/>